



DESIGNER ■■■
■■■ CONCRETE COATINGS

COLOURING

A WORLD OF CONCRETE

DRIVEWAYS • FOOTPATHS • PATIOS AND OUTDOOR LIVING SPACES

WELCOME TO THE NEW AGE IN CONCRETE FINISHES

Designer Concrete Coatings C-3000 colour product systems is the perfect concrete paving partner for you to create contemporary outdoor recreation spaces as trend-conscious and stylish as the home you build or renovate. Be inspired – realise your design ideas using simple plants and landscape accessories to complement choice of Designer Concrete paving colour and surface texture. Make your outdoor space a retreat – showcase your home by continuing the same visual appeal to enhance your driveway and footpath inclusions.

Designer Concrete Coatings invites you to discover, within these pages, the latest in-vogue paving concepts inspired by homeowners like you; and, leading associated builders and independent licensed contractors creating imaginative and versatile outdoor space ideas that you can adapt to your home – to your living environment.





MAKE YOUR FIRST IMPRESSION A STATEMENT

Creative choice of Designer Concrete Coatings contemporary CMM-3000 colour range applied to the surface of fresh cast-in-place concrete produce a striking architectural focus and long-lasting finish. Trowel-texturing appropriate for the driveway or footpath pavement slope offers slip resistance without compromising visual appeal. Full-colour or use in conjunction with stamp impression or stencilled paving patterns to replicate the natural character of traditional segmental paving materials; and, complement with smart yet simple landscaping feature to bring together an outdoor space of dramatic effect to enhance your home style – your concrete paving design ideas.





BRING THE OUTSIDE IN WITH BEAUTIFUL LIVING AREAS

Designer Concrete Coatings CRS-3000 resurfacing system is the architectural answer for existing concrete paving surfaces whether you want to create an outdoor retreat or transform your outdoor space or patio into an extension of in-style alfresco living area to entertain or to just enjoy its atmosphere and ambience.

Create your personal style with garden feature. Add character with platform decking adaptable for a variety of entertainment purposes. And for the crafted paving touch, choose from the modern range of in-trend Designer Concrete Coatings' colours; and, distinctive resurfacing finishes that offer difference to your outdoor space. You can have the look of textured duo-coloured 600mm custom-crafted square tiles with 9mm joints placed symmetrically or diagonally. Or smooth trowel-down finish in large block tile with 6mm joints. Or flecked "granite look" continuous sprayed-texture finish to suit your paving design style and space. Optional standard finish alternatives inclusive of saw-cut square tile design may also be applied. In every way, you will discover that Designer Concrete Coatings CRS-3000 resurfacing system will change your view of plain concrete paving outside your home

MORE THAN JUST A PRETTY FACE

Designer Concrete Coatings' product quality assurance is more than the ability to replicate the natural colour character and textures of traditional tile and masonry surfaces that beautifully complement adjoining composite landscaping materials. Our concrete colour systems are the ideal choice for all-weather paving solutions that offer a durable, hardwearing and practical material for covered spaces as well as outdoor spaces exposed to the environment. And has the capability to withstand the pedestrian and vehicular traffic densities intended for the supporting pavement design loadings.

The product performance criteria set out below is testament to the durability and serviceability expectations of Designer Concrete Coatings' manufactured colour systems as a decorative wearing layer for concrete paving used in residential and commercial construction projects.

PERFORMANCE CRITERIA:

CMM 3000 Multi-Mix (Fresh Cast-in-Place Concrete)		CRS 3000 Resurfacing (Existing Concrete)	
Test: AS/NZS 4586-2003: Slip Resistance New Pedestrian Surfaces. Surface Class: W	Result: Low risk of slipping when wet. Capable of surface texturing appropriate for pavement slope in accordance with AS3727-1993.	Test: AS/NZS 4586-2003: Slip Resistance New Pedestrian Surfaces Surface Class: W	Result: Very low risk of slipping when wet. Capable of surface texturing appropriate for pavement slope in accordance with AS3727-1993
AS/NZS 4456.9-1997: Abrasion Resistance	Suitable for high pedestrian traffic applications and general vehicular traffic loads for which the pavement is designed.	AS/NZS 4456.9-1997: Abrasion Resistance	Suitable for high pedestrian traffic applications and general vehicular traffic loads for which the pavement is designed.
AS 1012 part 9 & 12: Compressive Strength	7-Days 28 – 30MPa 28-Days 38 – 40MPa	AS1012 part 9 & 12 Compressive Strength	7-days 31 – 35MPa 28-Days 38 – 41MPa

*Testing performed by BEMAC LABORATORIES (NATA Registered):
A subsidiary of Mahaffey Associates Pty Ltd. Smithfield, NSW



COLOURS

CRS-3000 RESURFACING COLOURS – EXISTING CONCRETE


MARL GREY



LIGHT SHALE




SMOKEY SLATE



METAL STONE



STEELY GREY



CHARRED



CASHMERE



TUMBLEWEED



MINK




CHESTNUT



INSPIRATION



RIVER ROCK



DESERT SAND



ANTIQUE BEIGE



HARVEST



BONDI SAND



PIMENTO



MERLOT



CMM-3000 MULTI-MIX COLOURS – FRESH CAST-IN-PLACE CONCRETE

SANDY BEIGE



LIGHTSTONE



SANDSTONE



LIGHT TERRACOTTA



BRICK RED



DARK TERRACOTTA



LIGHT GREY



FRENCH GREY



GUNMETAL



MOCHA



COFFEE



FAWN



FOSSIL



REPTILE



TRUFFLE



BLUESTONE



SMOKEY BLACK



CHARCOAL



*Colours shown are representative only limited to 4-colour print process. View more precise colour samples displayed at your nearest Designer Concrete Coatings sales branch or authorised product distributor.

IMPORTANT PDS INFORMATION:

Designer Concrete Coatings Pty Ltd is the product manufacturer. The product should only be applied and installed by current licensed and insured concrete contractors and/or concrete resurfacing contractors independently hired to carry out the work. It is the contractor's responsibility to ensure the suitability of the product for the purpose intended; and, to follow the workmanship practises and construction guidelines for the product recommended by the product manufacturer.

No warranty expressed or implied is given by Designer Concrete Coatings Pty Ltd for workmanship or neither to make good standards of workmanship performed by the contractor. Since concrete sealer products used in conjunction with the product do deteriorate in time and from in-service use and exposure conditions of environment no guarantee is or can be given for lifecycle performance durability. As is the case for all paving, regardless of material composition, it is the pavement owners' responsibility to carry out good standards of maintenance to ensure an acceptable probability of serviceability of the pavement during its design life.

DESIGNER
CONCRETE COATINGS

19 Liverpool St, Ingleburn NSW 2565
Ph: 02 9829 3311 | Fax: 02 9829 3544
E: sales@designerconcrete.com.au
www.designerconcrete.com.au



PROUDLY DISTRIBUTED BY